

ACOUSTIC



PN

16002
16027
16052
16077
16102
16182

Phosphor Bronze with NANOWEB® Coating

Extra Light
Custom Light
Light
Light/Medium
Medium
HD Light

E-1	B-2	G-3	D-4	A-5	E-6
.010	.014	.023	.030	.039	.047
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.012	.016	.024	.035	.045	.056
.013	.017	.026	.035	.045	.056
.013	.017	.025	.032	.042	.053

16152

12-String Light

E	B	G	D	A	E
.010	.014	.023	.030	.039	.047
.010	.014	.009	.012	.018	.027



PN

11002
11027
11052
11077
11102
11182

80/20 Bronze with NANOWEB Coating

Extra Light
Custom Light
Light
Light/Medium
Medium
HD Light

E-1	B-2	G-3	D-4	A-5	E-6
.010	.014	.023	.030	.039	.047
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.012	.016	.024	.035	.045	.056
.013	.017	.026	.035	.045	.056
.013	.017	.025	.032	.042	.053

11306

Baritone

B-1	F#-2	D-3	A-4	E-5	B-6
.016	.022	.030	.047	.059	.070

11308

8-String Baritone

B-1	F#-2	D-3	A-4	E-5	B-6
.016	.022	.030	.047	.059	.070
		.012	.014		

11152

12-String Light

E	B	G	D	A	E
.010	.014	.023	.030	.039	.047
.010	.014	.009	.012	.018	.027



PN

11000
11025
11050
11075
11100
11125

80/20 Bronze with POLYWEB® Coating

Extra Light
Custom Light
Light
Light/Medium
Medium
Resonator

E-1	B-2	G-3	D-4	A-5	E-6
.010	.014	.023	.030	.039	.047
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.012	.016	.024	.035	.045	.056
.013	.017	.026	.035	.045	.056
.016	.018	.028	.035	.045	.056

11150

12-String Light

E	B	G	D	A	E
.010	.014	.023	.030	.039	.047
.010	.014	.009	.012	.018	.027

ELECTRIC



PN

19002
19027
19052
19077
19102

Nickel Plated Steel with OPTIWEB® Coating

Super Light
Custom Light
Light
Light/Heavy
Medium

E-1	B-2	G-3	D-4	A-5	E-6	B-7	F#-8
.009	.011	.016	.024	.032	.042	-	-
.009	.011	.016	.026	.036	.046	-	-
.010	.013	.017	.026	.036	.046	-	-
.010	.013	.017	.032	.042	.052	-	-
.011	.014	.018	.028	.038	.049	-	-

19007

7-String Super Light

.009	.011	.016	.024	.032	.042	.052	-
------	------	------	------	------	------	------	---

19057

7-String Light

.010	.013	.017	.026	.036	.046	.056	-
------	------	------	------	------	------	------	---

19062

8-String Light

.010	.013	.017	.030	.042	.054	.064	.074
------	------	------	------	------	------	------	------

19074

7-String Light/Heavy

.010	.013	.017	.026	.036	.046	.059	-
------	------	------	------	------	------	------	---

19106

7-String Medium

.011	.014	.018	.028	.038	.049	.059	-
------	------	------	------	------	------	------	---



PN

12002
12027
12052
12077
12102
12152
12302

Nickel Plated Steel with NANOWEB Coating

Super Light
Custom Light
Light
Light/Heavy
Medium
Heavy
Baritone

E-1	B-2	G-3	D-4	A-5	E-6	B-7	F#-8
.009	.011	.016	.024	.032	.042	-	-
.009	.011	.016	.026	.036	.046	-	-
.010	.013	.017	.026	.036	.046	-	-
.010	.013	.017	.032	.042	.052	-	-
.011	.014	.018	.028	.038	.049	-	-
.012	.016	.024	.032	.042	.052	-	-
.012	.016	.022	.038	.052	.068	-	-

12007

7-String Super Light

.009	.011	.016	.024	.032	.042	.052	-
------	------	------	------	------	------	------	---

12057

7-String Light

.010	.013	.017	.026	.036	.046	.056	-
------	------	------	------	------	------	------	---

12062

8-String Light

.010	.013	.017	.030	.042	.054	.064	.074
------	------	------	------	------	------	------	------

12074

7-String Light/Heavy

.010	.013	.017	.026	.036	.046	.059	-
------	------	------	------	------	------	------	---

12106

7-String Medium

.011	.014	.018	.028	.038	.049	.059	-
------	------	------	------	------	------	------	---

12450

12-String Light

E	B	G	D	A	E
.010	.013	.017	.026	.036	.046
.010	.013	.009	.012	.018	.026



PN

12000
12025
12050
12100

Nickel Plated Steel with POLYWEB Coating

Super Light
Custom Light
Light
Medium

E-1	B-2	G-3	D-4	A-5	E-6
.009	.011	.016	.024	.032	.042
.009	.011	.016	.026	.036	.046
.010	.013	.017	.026	.036	.046
.011	.014	.018	.028	.038	.049

ELECTRIC BASS



PN	Nickel Plated Steel with NANOWEB® Coating
14002	4-String Super Light, Long Scale
14052	4-String Light, Long Scale
14077	4-String Light/Medium, Long Scale
14087	4-String Light/Medium, Extra Long Scale
14102	4-String Medium, Long Scale
14202	5-String Light, Long Scale
14207	5-String Light/Medium, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
.040	.060	.075	.095	-	-
.045	.065	.080	.100	-	-
.045	.065	.085	.105	-	-
.045	.065	.085	.105	-	-
.050	.070	.085	.105	-	-
.045	.065	.085	.105	.130	-
.045	.065	.085	.105	.135	-



PN	Stainless Steel with NANOWEB Coating
14652	4-String Light, Long Scale
14677	4-String Light/Medium, Long Scale
14702	4-String Medium, Long Scale
14777	5-String Light, Long Scale
14782	5-String Light/Medium, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
.045	.065	.080	.100	-	-
.045	.065	.085	.105	-	-
.050	.070	.085	.105	-	-
.045	.065	.085	.105	.130	-
.045	.065	.085	.105	.135	-

ELECTRIC BASS 5th & 6th STRING SINGLES



PN	Nickel Plated Steel with NANOWEB Coating Custom 5th and 6th String Singles
15332	Medium C
15425	Super Light B, Long Scale
15430	Light B, Long Scale
15432	Light B, Long Scale TaperWound
15433	Light B, Extra Long Scale, TaperWound
15435	Medium B, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
-	-	-	-	-	.032
-	-	-	-	.125	-
-	-	-	-	.130	-
-	-	-	-	.130tw	-
-	-	-	-	.130tw	-
-	-	-	-	.135	-



PN	Stainless Steel with NANOWEB Coating Custom 5th String Singles
13426	Super Light B, Long Scale
13436	Light B, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
-	-	-	-	.125	-
-	-	-	-	.130	-

ACOUSTIC BASS



PN	80/20 Bronze with NANOWEB Coating
14502	4-String Light, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
.045	.065	.080	.100	-	-

SINGLE STRINGS

Anti-Rust Plain Steel

PN	Gauge	PN	Gauge
13009	.009	13015	.015
13010	.010	13016	.016
13011	.011	13017	.017
13012	.012	13018	.018
13013	.013	13022	.022
13014	.014		

Acoustic 80/20 Bronze with

NANOWEB Coating	POLYWEB Coating	Gauge
PN	PN	
15122	13122	.022
15123	13123	.023
15124	13124	.024
15125	-	.025
15126	13126	.026
15127	13127	.027
15128	13128	.028
15130	13130	.030
15132	13132	.032
15135	13135	.035
15139	13139	.039
15142	13142	.042
15145	13145	.045
15147	13147	.047
15152	13152	.052
15153	13153	.053
15156	13156	.056
15159	13159	.059
15170	-	.070

Acoustic Phosphor Bronze with

NANOWEB Coating	Gauge
PN	
14122	.022
14123	.023
14124	.024
14125	.025
14126	.026
14127	.027
14130	.030
14132	.032
14135	.035
14139	.039
14142	.042
14145	.045
14147	.047
14152	.052
14153	.053
14156	.056

SINGLE STRINGS

Electric Nickel Plated Steel with

NANOWEB® Coating PN	POLYWEB® Coating PN	OPTIWEB® Coating PN	Gauge
15224	13224	16224	.024
15226	13226	16226	.026
15228	13228	16228	.028
15230	-	16230	.030
15232	13232	16232	.032
15236	13236	16236	.036
15238	13238	16238	.038
15242	13242	16242	.042
15246	13246	16246	.046
15249	13249	16249	.049
15252	-	16252	.052
15254	-	16254	.054
15256	-	16256	.056
15259	-	16259	.059
15260	-	16260	.060
15262	-	16262	.062
15264	-	16264	.064
15268	-	-	.068
15274	-	16274	.074
15280	-	16280	.080

Electric Bass Nickel Plated Steel with

NANOWEB Coating PN	Gauge
15332	.032
15340	.040
15345	.045
15350	.050
15360	.060
15365	.065
15370	.070
15375	.075
15380	.080
15385	.085
15395	.095
15400	.100 L
15405	.105 L
15406	.105 XL
15425	.125 L
15430	.130 L
15431	.130 XL
15432	.130tw L
15433	.130tw XL
15435	.135 L

Electric Bass Stainless Steel with

NANOWEB Coating PN	Gauge
13346	.045
13366	.065
13381	.080
13386	.085
13402	.100 L
13407	.105 L
13426	.125 L
13436	.130 L

Acoustic Bass 80/20 Bronze with

NANOWEB Coating PN	Gauge
15745	.045
15765	.065
15780	.080
15800	.100 L
15825	.125 L

CUSTOMER SERVICE INFORMATION

United States & Other Regions

W. L. Gore & Associates, Inc.
201 Airport Road
Elkton, MD 21921

Email: elixirstrings@wlgore.com

Phone: +1 800 367 5533 (USA only)
+1 410 506 1806 (Outside USA)

Europe

W. L. Gore & Associates GmbH
Hermann-Oberth-Str. 26
D-85640 Putzbrunn - Germany

Email: elixireurope@wlgore.com

Telefon: +49 89 4612 2242

Latin America

W. L. Gore & Associates do Brasil Ltda.
Edifício Bolsa de Imóveis de São Paulo
Av. das Nações Unidas
11.541 - CJ52
Brooklin Paulista
04578-000 São Paulo/SP - Brasil

Email: elixirstringsbr@wlgore.com

Phone: +55 11 5502 7800
Direct: +55 11 5502 7827

