

ACOUSTIC



PN	Phosphor Bronze with NANOWEB® Coating	E-1	B-2	G-3	D-4	A-5	E-6
16002	Extra Light	.010	.014	.023	.030	.039	.047
16027	Custom Light	.011	.015	.022	.032	.042	.052
16052	Light	.012	.016	.024	.032	.042	.053
16077	Light/Medium	.012	.016	.024	.035	.045	.056
16102	Medium	.013	.017	.026	.035	.045	.056
16182	HD Light	.013	.017	.025	.032	.042	.053

		E	B	G	D	A	E
16152	12-String Light	.010	.014	.023	.030	.039	.047
		.010	.014	.009	.012	.018	.027



PN	80/20 Bronze with NANOWEB Coating	E-1	B-2	G-3	D-4	A-5	E-6
11002	Extra Light	.010	.014	.023	.030	.039	.047
11027	Custom Light	.011	.015	.022	.032	.042	.052
11052	Light	.012	.016	.024	.032	.042	.053
11077	Light/Medium	.012	.016	.024	.035	.045	.056
11102	Medium	.013	.017	.026	.035	.045	.056
11182	HD Light	.013	.017	.025	.032	.042	.053

		B-1	F#-2	D-3	A-4	E-5	B-6
11306	Baritone	.016	.022	.030	.047	.059	.070

		B-1	F#-2	D-3	A-4	E-5	B-6
11308	8-String Baritone	.016	.022	.030	.047	.059	.070
				.012	.014		

		E	B	G	D	A	E
11152	12-String Light	.010	.014	.023	.030	.039	.047
		.010	.014	.009	.012	.018	.027



PN	80/20 Bronze with POLYWEB® Coating	E-1	B-2	G-3	D-4	A-5	E-6
11000	Extra Light	.010	.014	.023	.030	.039	.047
11025	Custom Light	.011	.015	.022	.032	.042	.052
11050	Light	.012	.016	.024	.032	.042	.053
11075	Light/Medium	.012	.016	.024	.035	.045	.056
11100	Medium	.013	.017	.026	.035	.045	.056
11125	Resonator	.016	.018	.028	.035	.045	.056

		E	B	G	D	A	E
11150	12-String Light	.010	.014	.023	.030	.039	.047
		.010	.014	.009	.012	.018	.027

ELECTRIC



PN	Nickel Plated Steel with OPTIWEB™ Coating	E-1	B-2	G-3	D-4	A-5	E-6
19002	Super Light	.009	.011	.016	.024	.032	.042
19027	Custom Light	.009	.011	.016	.026	.036	.046
19052	Light	.010	.013	.017	.026	.036	.046
19077	Light/Heavy	.010	.013	.017	.032	.042	.052
19102	Medium	.011	.014	.018	.028	.038	.049

PN	Nickel Plated Steel with NANOWEB Coating	E-1	B-2	G-3	D-4	A-5	E-6	B-7
12002	Super Light	.009	.011	.016	.024	.032	.042	
12027	Custom Light	.009	.011	.016	.026	.036	.046	
12052	Light	.010	.013	.017	.026	.036	.046	
12077	Light/Heavy	.010	.013	.017	.032	.042	.052	
12102	Medium	.011	.014	.018	.028	.038	.049	
12152	Heavy	.012	.016	.024	.032	.042	.052	
12302	Baritone	.012	.016	.022	.038	.052	.068	
12057	7-String Light	.010	.013	.017	.026	.036	.046	.056

		E	B	G	D	A	E
12450	12-String Light	.010	.013	.017	.026	.036	.046
		.010	.013	.009	.012	.018	.026





PN	Nickel Plated Steel with POLYWEB Coating	E-1	B-2	G-3	D-4	A-5	E-6
12000	Super Light	.009	.011	.016	.024	.032	.042
12050	Light	.010	.013	.017	.026	.036	.046


ELECTRIC BASS





PN	Nickel Plated Steel with NANOWEB Coating	G-1	D-2	A-3	E-4	B-5	C-6
14002	4-String Super Light, Long Scale	.040	.060	.075	.095	-	-
14052	4-String Light, Long Scale	.045	.065	.080	.100	-	-
14077	4-String Light/Medium, Long Scale	.045	.065	.085	.105	-	-
14087	4-String Light/Medium, Extra Long Scale	.045	.065	.085	.105	-	-
14102	4-String Medium, Long Scale	.050	.070	.085	.105	-	-
14202	5-String Light, Long Scale	.045	.065	.085	.105	.130	-
14207	5-String Light/Medium, Long Scale	.045	.065	.085	.105	.135	-

ELECTRIC BASS		PN	Stainless Steel with NANOWEB® Coating	G-1	D-2	A-3	E-4	B-5	C-6
		14652	4-String Light, Long Scale	.045	.065	.080	.100	—	—
		14677	4-String Light/Medium, Long Scale	.045	.065	.085	.105	—	—
		14702	4-String Medium, Long Scale	.050	.070	.085	.105	—	—
		14777	5-String Light, Long Scale	.045	.065	.085	.105	.130	—
		14782	5-String Light/Medium, Long Scale	.045	.065	.085	.105	.135	—

ELECTRIC BASS 5TH & 6TH STRING SINGLES		PN	Nickel Plated Steel with NANOWEB Coating	G-1	D-2	A-3	E-4	B-5	C-6
		15332	Medium C	—	—	—	—	—	.032
		15425	Super Light B, Long Scale	—	—	—	—	.125	—
		15430	Light B, Long Scale	—	—	—	—	.130	—
		15432	Light B, Long Scale, TaperWound	—	—	—	—	.130tw	—
		15433	Light B, Extra Long Scale, TaperWound	—	—	—	—	.130tw	—
		15435	Medium B, Long Scale	—	—	—	—	.135	—
		PN	Stainless Steel with NANOWEB Coating	G-1	D-2	A-3	E-4	B-5	C-6
		13426	Super Light B, Long Scale	—	—	—	—	.125	—
		13436	Light B, Long Scale	—	—	—	—	.130	—

ACOUSTIC BASS		PN	80/20 Bronze with NANOWEB Coating	G-1	D-2	A-3	E-4	B-5	C-6
		14502	4-String Light, Long Scale	.045	.065	.080	.100	—	—

MANDOLIN		PN	80/20 Bronze with NANOWEB Coating	E-1	A-2	D-3	G-4
		11500	Light	.010	.014	.024	.034
		11525	Medium	.011	.015	.026	.040

BANJO		PN	Nickel Plated Steel with POLYWEB® Coating	D-1	B-2	G-3	D-4	G-5
		11600	Light	.009	.010	.013	.020	.009
		11650	Medium	.010	.012	.016	.023	.010

Acoustic 80/20 Bronze with NANOWEB Coating			Acoustic Phosphor Bronze with NANOWEB Coating		
PN	POLYWEB Coating PN	GAUGE	PN	GAUGE	
15122	13122	.022	14122	.022	
15123	13123	.023	14123	.023	
15124	13124	.024	14124	.024	
15125	-	.025	14125	.025	
15126	13126	.026	14126	.026	
15127	13127	.027	14127	.027	
15128	13128	.028	14130	.030	
15130	13130	.030	14132	.032	
15132	13132	.032	14135	.035	
15135	13135	.035	14139	.039	
15139	13139	.039	14142	.042	
15142	13142	.042	14145	.045	
15145	13145	.045	14147	.047	
15147	13147	.047	14152	.052	
15152	13152	.052	14153	.053	
15153	13153	.053	14156	.056	
15156	13156	.056			
15159	13159	.059			
15170	-	.070			

SINGLE STRINGS

Electric Nickel Plated Steel with

NANOWEB® Coating	POLYWEB® Coating	OPTIWEB™ Coating	GAUGE
PN	PN	PN	
15224	13224	16224	.024
15226	13226	16226	.026
15228	-	16228	.028
15232	13232	16232	.032
15236	13236	16236	.036
15238	-	16238	.038
15242	13242	16242	.042
15246	13246	16246	.046
15249	-	16249	.049
15252	-	16252	.052
15256	-	-	.056
15268	-	-	.068

Anti-Rust Plain Steel

PN	GAUGE
13009	.009
13010	.010
13011	.011
13012	.012
13013	.013
13014	.014
13015	.015
13016	.016
13017	.017
13018	.018
13022	.022

Electric Bass Nickel Plated Steel with

NANOWEB Coating	GAUGE
PN	
15332	.032
15340	.040
15345	.045
15350	.050
15360	.060
15365	.065
15370	.070
15375	.075
15380	.080
15385	.085
15395	.095
15400	.100 L
15405	.105 L
15406	.105 XL
15425	.125 L
15430	.130 L
15431	.130 XL
15432	.130tw L
15433	.130tw XL
15435	.135 L

Electric Bass Stainless Steel with

NANOWEB Coating	GAUGE
PN	
13346	.045
13366	.065
13381	.080
13386	.085
13402	.100
13407	.105
13426	.125
13436	.130

Acoustic Bass 80/20 Bronze with

NANOWEB Coating	GAUGE
PN	
15745	.045
15765	.065
15780	.080
15800	.100
15825	.125

Contact information:

United States & other regions

W.L. Gore & Associates, Inc.
201 Airport Road
Elkton MD 21921

Phone: +1 800 367 5533 (USA only)
+1 410 506 1806 (Outside USA)

Fax: +1 410 506 7692

Customer Service:

Phone: +1 800 367 5533
Email: elixirstrings@wlgore.com

Email your string order to:
esorders@wlgore.com

Europe

W.L. Gore & Associates GmbH
Hermann-Oberth-Str. 26
D-85640 Putzbrunn - Germany

Telefon: +49 89 4612 2287
Telefax: +49 89 4612 42287

Customer Service:

Email: elixirorders@wlgore.com

Email your string order to:
elixirorders@wlgore.com

Latin America

Avenida das Nações Unidas,
11.541 - CJ 52 Brooklin Novo
São Paulo/SP - Brasil
CEP 04578-000

Phone: +55 11 5502 7800
Direct: +55 11 5502 7827
Fax: +55 11 5502 7801

Customer Service:

Email: elixirbr@wlgore.com

Email your string order to:
elixirstringsbr@wlgore.com

Please visit us:

elixirstrings.com

elixirstring.de

elixirstrings.fr

elixirstrings.co.uk

web.gore.co.jp

elixirstrings.kr

elixirstrings.com.cn

elixirstrings.com.br



Extending your tone life like no other string.

